

TECHNICAL DATA SHEET

Goat anti-Rabbit IgG (H&L), F(ab')2 Fragment - Affinity Pure, HRP Conjugate, Cross-Adsorbed

Catalog Number: 72-8074

PRODUCT INFORMATION

Contents:	Goat anti-Rabbit IgG (H&L), F(ab')2 Fragment - Affinity Pure, HRP Conjugate, min x w/ bovine, human, or mouse IgG or serum proteins
Reactivity:	Rabbit
Specificity:	Rabbit IgG (H&L), F(ab')2 Fragment
Host:	Goat
Cross Adsorption:	min x w/ bovine, human, or mouse IgG or serum proteins
Cross Reactivity:	Based on IEP, no reactivity is observed to: \cdot non-immunoglobulin rabbit serum proteins \cdot serum proteins from bovine, human, or mouse \cdot IgG from human or mouse
Concentration:	Lyophilized
Formulation:	Lyophilized, 10 mM Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2, 1 % (w/v) BSA, Protease/IgG free and 0.1% (v/v) Kathon CG
Reconstitution:	Rehydrate with 0.55 ml of deionized water and let stand 30 minutes at room temperature to dissolve. Centrifuge to remove any particulates. Prepare fresh working dilution daily.
Storage Conditions:	Store freeze-dried powder at 2-8 °C. Once rehydrated and in solution store at 2-8 °C.
Use By:	1 year from date of receipt. Store lyophilized material at 2-8 °C. For long term storage after reconstitution, dilute with 50% glycerol and store at -20 °C as a liquid.
Purity:	> 90% based on SDS-PAGE small amounts of intact IgG may be present
Purification:	Affinity purified using solid phase Rabbit IgG
Country of Origin:	Goat serum was obtained from healthy animals of US origin and under the care of a registered veterinarian.

PREPARATION & STORAGE

This product was Affinity purified using solid phase Rabbit IgG. Store freeze-dried powder at 2-8 °C. Once rehydrated and in solution store at 2-8 °C.

APPLICATION NOTES

S

This conjugate is suitable for Western Blot, ELISA and immunohistochemistry. The optimal working dilution should be determined by the investigator. Suggested starting dilution(k): 1:20 - 1:2,000 for most applications Based on IEP, this antibody reacts with: heavy (y) chains on rabbit IgG light chains on all rabbit immunoglobulins.

Tonbo Biosciences tests all antibodies by flow cytometry. Citations are provided as a resource for additional applications that have not been validated by Tonbo Biosciences. Please choose the appropriate format for each application and consult Materials and Methods sections for additional details about the use of any product in these publications.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Not for resale. Not for distribution without written consent. Tonbo Biosciences will not be held responsible for patent infringement or other violations that may occur with the use of our products. Tonbo Biosciences, Tonbo Biosciences Logo and all other trademarks are the property of Tonbo Biotechnologies Corporation. © 2013 Tonbo Biosciences.