
Orders:market@tsingke.com.cn
Support:protein@tsingke.com.cn
Web:www.tsingke.com.cn

CDC37(Phospho Ser13) Rabbit mAb


Catalog :
TS10001
Gene Name :
CDC37
Gene ID :
Human: 11140
Mouse: 12539
Rat: 114562
SwissProt :
Human: Q16543
Mouse: Q61081
Rat: Q63692
Host :
Rabbit
Clonality :
Monoclonal
Clone No. :
TSKL10001
Reactivity :
Human,Mouse,Rat,
Storage :
-15°C to -25°C/1 year
(Do not lower than -25°C)
Specificity :
Endogenous
Purification :
Protein A
Molecular Weight :
MW(Calculated): 44 kD
MW(Observed): 44 kD
Application :
WB,IHC,IF,IP,ELISA
Dilution :
IHC 1:400-1000
WB 1:1000-1:2500 IF 1:200-1000
ELISA 1:5000-20000 IP 1:50-200
Storage Buffer :
PBS,50%glycerol,0.05%Proclin 300,0.05%BSA



Immunohistochemical analysis of paraffin- (phospho Ser13) treated using heat mediated antigen retrieval with Tris/EDTA buffer(pH9.0) for 20 minutes. The tissues were probed with the primary antibody (TS10001,1/400) overnight at 4°C. The polymer-HRP anti-Rabbit IgG(H+L) used to detect the antibody.

Western blot analysis of various lysates using CDC37 (Phospho Ser13) Rabbit mAb (CYRM0031) at 1:1000 dilution.

Image



Lane 1: Hela cell lysate
Lane 2: HCT116 cell lysate
Lane 3: A549 cell lysate
Lane 4: NIH-3T3 cell lysate
Lane 5: PC-12 cell lysate

Lysates/proteins at 15 µg/Lane

Predicted band size: 44 kDa
Observed band size: 44 kDa

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L)at 1:10000 dilution. Blocking buffer: 5%nonfat dry milk in TBST.

Exposure time: 6 s(pg-level).

Reactivity Key: H=Human;M=Mouse;R=Rat;Mk=Monkey;Hm=Hamster
Application Key:WB=Western Blot;IHC-P=Immunohistochemistry(Paraffin);ICC=Immunocytochemistry;IF=Immunofluorescence;FC=Flow Cytometry;IP=Immunoprecipitation

For Research Use Only.Not for Use in Diagnostic Procedures.