
Orders:market@tsingke.com.cn
Support:protein@tsingke.com.cn
Web:www.tsingke.com.cn

AMPKα1/2(Phospho-Thr183/Thr172)Rabbit mAb

Catalog :
TS10029
Gene Name :
AMPKa1/2
Gene ID :
Human: 5562 | 5563
Mouse: 105787 | 108079
Rat: 65248 | 78975
SwissProt :
Human: Q13131 | P54646
Mouse:Rat:P54645 | Q09137
Host :
Rabbit
Clonality :
Monoclonal
Clone No. :
TSKL10029
Reactivity :
Human,Mouse,Rat
Storage :
-15°C to -25°C/1 year
(Do not lower than -25°C)
Specificity :
Endogenous
Purification :
Protein A
Molecular Weight :
MW(Calculated): 62 KD,64 kD
MW(Observed): 62 kD
Application :
WB,IP,ELISA
Dilution :
WB 1:1000-1:5000
ELISA 1:5000-1:20000
IP 1:50-1:200
Storage Buffer :
PBS,50%glycerol,0.05%Proclin 300,0.05%BSA

Western blot analysis of various lysates using AMPK α1/2 (Phospho-Thr183/Thr172)Rabbit mAb (TS10029)at 1:2000 dilution.

Image



Lane 1: NIH-3T3 cell lysate
Lane 2: Overnight serum-starved, Calyculin A-treated NIH-3T3 cell lysate

Lysates/proteins at 20 µg/Lane

Predicted band size: 62,64 kDa
Observed band size: 62 kDa

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG(H+L) at 1:10000 dilution. Blocking buffer: 5%BSA in TBST.

Exposure time: 21 s(fg-level).

Reactivity Key: H=Human;M=Mouse;R=Rat;Mk=Monkey;Hm=Hamster
Application Key:WB=Western Blot;IHC-P=Immunohistochemistry(Paraffin);ICC=Immunocytochemistry;
IF=Immunofluorescence;FC=Flow Cytometry;IP=Immunoprecipitation

For Research Use Only.Not for Use in Diagnostic Procedures.


Orders:market@tsingke.com.cn
Support:protein@tsingke.com.cn
Web:www.tsingke.com.cn

AMPKα1/2(Phospho-Thr183/Thr172)Rabbit mAb

Catalog :
TS10029
Gene Name :
AMPKa1/2
Gene ID :
Human: 5562 | 5563
Mouse: 105787 | 108079
Rat: 65248 | 78975
SwissProt :
Human: Q13131 | P54646
Mouse:Rat:P54645 | Q09137
Host :
Rabbit
Clonality :
Monoclonal
Clone No. :
TSKL10029
Reactivity :
Human,Mouse,Rat
Storage :
-15°C to -25°C/1 year
(Do not lower than -25°C)
Specificity :
Endogenous
Purification :
Protein A
Molecular Weight :
MW(Calculated): 62 KD,64 kD
MW(Observed): 62 kD
Application :
WB,IP,ELISA
Dilution :
WB 1:1000-1:5000
ELISA 1:5000-1:20000
IP 1:50-1:200
Storage Buffer :
PBS,50%glycerol,0.05%Proclin 300,0.05%BSA

Western blot analysis of various lysates using AMPK α1/2 (Phospho-Thr183/Thr172) Rabbit mAb (TS10029) at 1:2000 dilution.

Image



Lane 1: HeLa cell lysate
Lane 2: Overnight serum-starved, Calyculin A-treated HeLa celllysate
Lane 3: C6 cell lysate
Lane 4: Calyculin A-treated C6 cell lysate

Lysates/proteins at 20 μg/Lane

Predicted band size: 62,64 kDa
Observed band size: 62 kDa

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG(H+L) at 1:10000 dilution. Blocking buffer: 5%BSA in TBST.

Exposure time: 15 s(fg-level).

Reactivity Key: H=Human;M=Mouse;R=Rat;Mk=Monkey;Hm=Hamster
Application Key:WB=Western Blot;IHC-P=Immunohistochemistry(Paraffin);ICC=Immunocytochemistry;
IF=Immunofluorescence;FC=Flow Cytometry;IP=Immunoprecipitation

For Research Use Only.Not for Use in Diagnostic Procedures.