

Syk (Phospho Tyr525/526) Rabbit mAb

Catalog :

TS10064

Gene Name :

Syk

Gene ID :

Human: 6850

Mouse: 20963

Rat: 25155

SwissProt :

Human: P43405

Mouse: P48025

Rat: Q64725

Host :

Rabbit

Clonality :

Monoclonal

Clone No. :

TSKL10064

Reactivity :

Human,Mouse,Rat

Storage :

-15°C to -25°C/1 year
(Do not lower than -25°C)

Specificity :

Endogenous

Purification :

Protein A

Molecular Weight :

MW(Calculated): 72 KD

MW(Observed): 72 kD

Application :

WB

Dilution :


WB 1:1000-1:2500

Storage Buffer :

PBS,50%glycerol,0.05%Proclin
300,0.05%BSA

Western blot analysis of various lysates using Syk (Phospho Tyr525/526) Rabbit mAb (TS10064) at 1:1000 dilution.

Image



Lane 1: Mouse liver tissue lysate

Lane 2: Rat lung tissue lysate

Lysates/proteins at 40 µg/Lane

Predicted band size: 72 kDa

Observed band size: 72 kDa

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG(H+L) at 1:10000 dilution. Blocking buffer: 5% nonfat dry milk in TBST.

Exposure time: 20 s(pg-level).

Reactivity Key: H=Human;M=Mouse;R=Rat;Mk=Monkey;Hm=Hamster

Application Key: WB=Western Blot;IHC-P=Immunohistochemistry(Paraffin);ICC=Immunocytochemistry;
IF=Immunofluorescence;FC=Flow Cytometry;IP=Immunoprecipitation

01

Syk (Phospho Tyr525/526) Rabbit mAb

Catalog :

TS10064

Gene Name :

Syk

Gene ID :

Human: 6850

Mouse: 20963

Rat: 25155

SwissProt :

Human: P43405

Mouse: P48025

Rat: Q64725

Host :

Rabbit

Clonality :

Monoclonal

Clone No. :

TSKL10064

Reactivity :

Human,Mouse,Rat

Storage :

-15°C to -25°C/1 year
(Do not lower than -25°C)

Specificity :

Endogenous

Purification :

Protein A

Molecular Weight :

MW(Calculated): 72 KD

MW(Observed): 72 kD

Application :

WB

Dilution :


WB 1:1000-1:2500

Storage Buffer :

PBS,50%glycerol,0.05%Proclin
300,0.05%BSA

Western blot analysis of various lysates using Syk (Phospho Tyr525/526) Rabbit mAb (TS10064) at 1:1000 dilution.

Image



Lane 1: Human lung tissue lysate

Lysates/proteins at 40 µg/Lane

Predicted band size: 72 kDa

Observed band size: 72 kDa

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG(H+L) at 1:10000 dilution. Blocking buffer: 5%nonfat dry milk in TBST.

Exposure time: 10 s(fg-level).

Reactivity Key: H=Human;M=Mouse;R=Rat;Mk=Monkey;Hm=Hamster

Application Key: WB=Western Blot;IHC-P=Immunohistochemistry(Paraffin);ICC=Immunocytochemistry;
IF=Immunofluorescence;FC=Flow Cytometry;IP=Immunoprecipitation