
Orders:market@tsingke.com.cn
Support:protein@tsingke.com.cn
Web:www.tsingke.com.cn

Akt (Phospho Thr308) Rabbit mAb

Catalog :
TS10015
Gene Name :
Akt1/2/3
Gene ID :
Human: 207 | 208 | 10000
Mouse: 11651 | 11652 | 23797
Rat:24185 | 25233 | 29414
SwissProt :
Human: P31749 | P31751 | Q9Y243
Mouse: P31750
Rat: P47196 | P47197 | Q63484
Host :
Rabbit
Clonality :
Monoclonal
Clone No. :
TSKL10015
Reactivity :
Human,Mouse,Rat
Storage :
-15°C to -25°C/1 year
(Do not lower than -25°C)
Specificity :
Endogenous
Purification :
Protein A
Molecular Weight :
MW(Calculated): 60 kD
MW(Observed): 60 kD
Application :
WB
Dilution :
WB 1:1000-1:2500;
Storage Buffer :
PBS,50%glycerol,0.05%Proclin 300,0.05%BSA

Western blot analysis of various lysates using Akt (Phospho Thr308) Rabbit mAb (TS10015) at 1:1000 dilution.

Image



Lane 1: Jurkat cell lysate
Lane 2: TNF-α-and Calyculin A-treated Jurkat cell lysate
Lane 3: NIH-3T3 cell lysate
Lane 4: Overnight serum-starved, Calyculin A-treated NIH-3T3 cell lysate
Lane 5: C6 cell lysate
Lane 6: Calyculin A-treated C6 cell lysate

Lysates/proteins at 20 µg/Lane

Predicted band size: 60 kDa
Observed band size: 60 kDa

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG(H+L) at 1:10000 dilution. Blocking buffer: 5%BSA in TBST.

Exposure time: 28 s(pg-level).

Reactivity Key: H=Human;M=Mouse;R=Rat;Mk=Monkey;Hm=Hamster
Application Key:WB=Western Blot;IHC-P=Immunohistochemistry(Paraffin);ICC=Immunocytochemistry; IF=Immunofluorescence;FC=Flow Cytometry;IP=Immunoprecipitation

For Research Use Only.Not for Use in Diagnostic Procedures.