
Orders:market@tsingke.com.cn
Support:protein@tsingke.com.cn
Web:www.tsingke.com.cn

FAK(Phospho Tyr397)Rabbit mAb

Catalog :
TS10077
Gene Name :
FAK
Gene ID :
Human: 5747
Mouse: 14083
Rat: 25614
SwissProt :
Human: Q05397
Mouse: P34152
Rat: O35346
Host :
Rabbit
Clonality :
Monoclonal
Clone No. :
TSKL10077
Reactivity :
Human,Mouse,Rat
Storage :
-15°C to -25°C/1 year
(Do not lower than -25°C)
Specificity :
Endogenous
Purification :
Protein A
Molecular Weight :
MW(Calculated): 119 kD
MW(Observed): 119 kD
Application :
WB,IP,ELISA
Dilution :
WB 1:1000-1:5000
ELISA 1:5000-1:20000
IP 1:50-1:200
Storage Buffer :
PBS,50%glycerol,0.05%Proclin 300,0.05%BSA

Western blot analysis of various lysates using FAK (Phospho Tyr397) Rabbit mAb (TS10077) at 1:2000 dilution.

Image



Lane 1: A549 cell lysate
Lane 2: NIH-3T3 cell lysate
Lane 3: Overnight serum-starved, Pervanadate-treated NIH-3T3 cell lysate

Lysates/proteins at 20 µg/Lane

Predicted band size: 119 kDa
Observed band size: 119 kDa

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG(H+L) at 1:10000 dilution. Blocking buffer: 5%BSA in TBST.

Exposure time: 65 s(fg-level).

Reactivity Key: H=Human;M=Mouse;R=Rat;Mk=Monkey;Hm=Hamster
Application Key:WB=Western Blot;IHC-P=Immunohistochemistry(Paraffin);ICC=Immunocytochemistry;
IF=Immunofluorescence;FC=Flow Cytometry;IP=Immunoprecipitation

For Research Use Only.Not for Use in Diagnostic Procedures.


Orders:market@tsingke.com.cn
Support:protein@tsingke.com.cn
Web:www.tsingke.com.cn

FAK(Phospho Tyr397)Rabbit mAb

Catalog :
TS10077
Gene Name :
FAK
Gene ID :
Human: 5747
Mouse: 14083
Rat: 25614
SwissProt :
Human: Q05397
Mouse: P34152
Rat: O35346
Host :
Rabbit
Clonality :
Monoclonal
Clone No. :
TSKL10077
Reactivity :
Human,Mouse,Rat
Storage :
-15°C to -25°C/1 year
(Do not lower than -25°C)
Specificity :
Endogenous
Purification :
Protein A
Molecular Weight :
MW(Calculated): 119 kD
MW(Observed): 119 kD
Application :
WB,IP,ELISA
Dilution :
WB 1:1000-1:5000
ELISA 1:5000-1:20000
IP 1:50-1:200
Storage Buffer :
PBS,50%glycerol,0.05%Proclin 300,0.05%BSA

Western blot analysis of various lysates using FAK(Phospho Tyr397) Rabbit mAb(TS10077)at 1:2000 dilution.

Image



Lane 1: C6 cell lysate
Lane 2: Calyculin A-treated C6 cell l ysate
Lane 3: Overnight serum-starved, IGF-1-treated C6 cell lysate

Lysates/proteins at 20 μg/Lane

Predicted band size: 119 kDa
Observed band size: 119 kDa

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG(H+L)at 1:10000 dilution. Blocking buffer: 5%BSA in TBST.

Exposure time: 65 s(fg-level).

Reactivity Key: H=Human;M=Mouse;R=Rat;Mk=Monkey;Hm=Hamster
Application Key:WB=Western Blot;IHC-P=Immunohistochemistry(Paraffin);ICC=Immunocytochemistry; IF=Immunofluorescence;FC=Flow Cytometry;IP=Immunoprecipitation

For Research Use Only.Not for Use in Diagnostic Procedures.