
Orders:market@tsingke.com.cn
Support:protein@tsingke.com.cn
Web:www.tsingke.com.cn

NF-KB p65(Phospho Ser536) Rabbit mAb

Catalog :
TS10011
Gene Name :
NFkB p65
Gene ID :
Human: 5970
Mouse: 19697
SwissProt :
Human:Q04206
Mouse:Q04207
Host :
Rabbt
Clonality :
Monoclonal
Clone No. :
TSKL10011
Reactivity :
Human,MouseRat
Storage :
-15°C to -25°C/1 year
(Do not lower than -25°C)
Specificity :
Endogenous
Purification :
Protein A
Molecular Weight :
MW(Calculated): 65 kD
MW(Observed): 65 kD
Application :
WB
Dilution :
WB 1:1000-1:2500
Storage Buffer :
PBS,50%glycerol,0.05%Proclin 300,0.05%BSA

Western blot analysis of various lysates using NF-KB p65 (Phospho Ser536)Rabbit mAb (TS10011) at 1:1000 dilution.

Image



Lane 1: HeLa cell lysate
Lane 2: Overnight serum-starved, Calyculin A-treated HeLa cell lysate
Lane 3: TNF-a-and Calyculin A-treated HeLa cell lysate
Lane 4: NIH-3T3 cell lysate
Lane 5: Overnight serum-starved, Calyculin A-treated NIH-3T3 cell lysate
Lane 6: C6 cell lysate
Lane 7: Calyculin A-treated C6 cell lysate

Lysates/proteins at 20 μg/Lane

Predicted band size: 65 kDa
Observed band size: 65 kDa

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1:10000 dilution. Blocking buffer: 5%BSA in TBST.

Exposure time: 0.5 s(pg-level).

Reactivity Key: H=Human;M=Mouse;R=Rat;Mk=Monkey;Hm=Hamster
Application Key:WB=Western Blot;IHC-P=Immunohistochemistry(Paraffin);ICC=Immunocytochemistry; IF=Immunofluorescence;FC=Flow Cytometry;IP=Immunoprecipitation

For Research Use Only.Not for Use in Diagnostic Procedures.